August 18, 2021

LYNN HAVEN BAYOU, PORTION OF NORTH BAY, AND ANDERSON BAYOU UNDER ADVISORY AFTER MULTIPLE RAW SEWAGE RELEASES

City of Lynn Haven reports multiple raw sewage releases totaling approximately 1,571,000-gallons



Contact:

Joe Scully 850-481-4806 joseph.scully@flhealth.gov

Panama City, Fla. – The City of Lynn Haven is reporting multiple releases totaling approximately of 1,571,000 gallons of raw sewage. This is due to overflowing manholes throughout the city and three lift stations overflowing due to heavy rains during tropical Storm Fred. The releases entered storm drains that drain into Lynn Haven Bayou, North Bay, and Anderson Bayou. Cleanup actions have been completed.

Sewage contamination of water can expose swimmers to **intestinal viruses**, **bacteria**, and **parasites**. Swimming in the water may cause **symptoms like food poisoning** with vomiting and diarrhea. **Infection is possible** in **open cuts and wounds** that come in contact with the water.

The Florida Department of Health in Bay County (DOH-Bay) advises against swimming in North Bay between and including Lynn Haven Bayou and Anderson Bayou.

The **City of Lynn Haven is testing** the water and will share results with the Florida Department of Environmental Protection and the Florida Department of Health in Bay County. **Once levels are safe, the advisory will be lifted**.

For more information, contact the DOH-Bay's Environmental Health office at 850-481-4806 or visit Bay. Florida Health.gov.

###

About the Florida Department of Health

The department, nationally accredited by the <u>Public Health Accreditation Board</u>, works to protect, promote and improve the health of all people in Florida through integrated state, county and community efforts.

Follow us on Twitter at <u>@HealthyFla</u> and on <u>Facebook</u>. For more information about the Florida Department of Health please visit <u>www.FloridaHealth.gov</u>.